

# TactiLink

## TactiLink Puma Lite V2



Building on the Puma Lite V1, the Puma Lite V2 consists of (2) PRC-152 Radios paired with (2) 50 Watt amplifiers with both LOS and SATCOM capability. Internal to the system is an onboard WAVE server with built in radio serial controller and networking capabilities. This Provides the capability to link multiple Puma Lite V2 boxes together to increase you ability to control eight radio nets simultaneously. With wide range AC input power and the option for DC input power the Puma Lite V2 is versatile and ready to go anywhere.

**Tactical Communications is Developing the Future for those at the  
" T i p o f t h e S p e a r "**

**snc** SIERRA  
NEVADA  
CORPORATION  
Intelligence, Surveillance, and Reconnaissance

# TactiLink

## TactiLink Puma Lite V2

### Specifications

#### Characteristics

- 2 PRC-152 Broadband Radios
- 2 MB-50 LOS/SATCOM Amplifiers (50 Watt)
- Integrated WAVE Server
- 10/100 Network Ports for linking systems together
- Power input: 90-240 VAC, 40-400 Hz 10-32 VDC (optional)

#### Dimensions

- 22" W x 21.5" D x 9.5" H (with lids)

#### Weight

- Approximately 40 lbs

#### Outputs

- 2 NType RF
- 2 Input RJ45 (WAVE)
- 2 RJ 45 Ethernet
- 1 AC power outlet



For further information contact:  
Tactical Communications Business Development  
Tel: 910-307-3321  
Email: [isr@sncorp.com](mailto:isr@sncorp.com)  
Visit our web site at [www.sncorp.com](http://www.sncorp.com)



Complies with AS 9100

SIERRA NEVADA CORPORATION • 3139 Doc Bennett Rd • Fayetteville, NC 28306 • PHONE (910) 307-3321 • FAX (910) 307-0366

DATA CONTAINED WITHIN THIS DOCUMENT IS SUBJECT TO CHANGE AT ANY TIME AT SNC'S DISCRETION.

**SNC** SIERRA  
NEVADA  
CORPORATION